

## 第 81 卷 索 引

<b>2</b> 23-valent pneumococcal polysaccharide vaccine 602	(CGG) <sub>5</sub> 741 chest radiographic findings 261 chikungunya 600 child 6, 51, 59, 449 <i>Chlamydia trachomatis</i> 133 ciprofloxacin 276, 736 clarithromycin 414 clinical laboratory 39 <i>Clostridium difficile</i> culture 33 comparative study 276 complication 435 compromised host 720 correlation coefficient 370 cost-effectiveness analysis 555 cross reaction 206 <i>Cryptococcus</i> 403 cytotoxin assay 33 cytotoxin-hemolysin gene 714
<b>A</b> acquired immunodeficiency syndrome (AIDS) 1, 67, 459 acute disseminated encephalomyelitis (ADEM) 577 acute viral diseases 426 adult 256 anaerobe 302 antineutrophil cytoplasmic antibody (ANCA) 189 antibody 133, 675 antigen-antibody detection assay 562 antimicrobial therapy 51 arthralgia 600 <i>Ascaris suum</i> 305 <i>Aspergillus</i> 291	<b>D</b> dementia 408 detection frequency difference 441 diabetes mellitus 582, 720 diarrhea 26, 394 diphtheria 155 disseminated candidiasis 459 drug resistance 183, 309, 363 drug susceptibility 394, 669
<b>B</b> <i>Bacillus licheniformis</i> 592 bacteremia 189 bacterial culture 441 bacterial meningitis 577 bacterial pneumonia 268 biological safety cabinet 39 biosafety 39 blood culture 700 brain abscess 592 bronchiolitis obliterans 291 bronchitis 731 <i>Burkholderia pseudomallei</i> 297	<b>E</b> Ec-LPS array 26 elderly people 408 electrochemical detector 414 <i>Enterobacter cloacae</i> 745 enzyme-linked fluorescent immunoassay 562 enzyme-linked immunosorbent assay (ELISA) 149, 751
<b>C</b> <i>Campylobacter jejuni</i> 363 <i>Candida albicans</i> 459 carbapenem 276, 370 cat scratch disease 206 cefazolin 370	epidemiology 379, 449 Epstein-Barr virus 707 <i>Escherichia coli</i> 6, 26 exanthema 127

extended-spectrum β-lactamase (ESBL)	745	invasive pulmonary aspergillosis	261
		IS6110	741
<b>F</b>			
feline calicivirus	249		
fluoroquinolone	363	ketoacidosis	582
food poisoning	242		
functional water	249		
<b>G</b>			
gastroenteritis	689, 751	laboratory diagnosis	426
<b>H</b>			
laboratory infection		laboratory infection	39
<i>Haemophilus influenzae</i>	449	<i>Lactobacillus reuteri</i>	387
<i>Haemophilus influenzae</i> type b	51, 72	<i>Legionella dumoffii</i>	173
healthcare associated infection	681	<i>Legionella pneumophila</i>	173
healthcare worker	155	legionellosis	173
<i>Helicobacter cinaedi</i>	700	leptospirosis	736
<i>Helicobacter pylori</i>	387	leukemia	261, 592
herpes simplex virus	549	LPS	26
HI antibody	284		
high-performance liquid chromatography			
(HPLC)	414		
human immunodeficiency virus (HIV)	1, 76, 200, 562, 731		
<b>I</b>			
IgM -capture ELISA	426	macrophage	695
IgM antibody	149, 707	malaria	597
immunization	555	mass infection	441
immunoblot	133	measles	675
immunochromatography	76	melioidosis	297
immunocompetent	194	meningitis	51, 72
immunogenicity	284	MIC	6
in situ hybridization	20	molecular epidemiology	45
incubation	421	major outer membrane protein (MOMP)	133
infection control	689	mortality	268
infectious disease	127	MRSA	183, 309, 370
infectious mononucleosis	707	mucormycosis	582
influenza	235, 379	multiple linear regression analysis	370
influenza A virus	573	multiplex real-time PCR assay	549
influenza vaccination	408	mumps	555
influenza vaccine	284, 435, 602	Munchausen Syndrome	189
influenza virus	435	<i>Mycobacterium avium</i> complex	695
interferon γ	421	<i>Mycobacterium shimoidei</i>	12
interstitial pneumonia	67	<i>Mycoplasma pneumoniae</i>	149, 586
<b>N</b>			
		<i>Neisseria meningitidis</i>	669, 731
		neutropenia	261, 592
		norovirus	249, 689, 751
		nosocomial infection	162, 183
		nursery	72
		nursing home	408

<b>O</b>		rotavirus	256
O-serogroup	26		
osteomyelitis	573		
otitis media	59		
outbreak	162, 242, 256, 681, 689		
over-the-counter (OTC)	235		
<b>P</b>		<b>S</b>	
particle agglutination	149	<i>Salmonella</i>	242, 394
<i>Pasteurella multocida</i>	726	<i>Salmonella enterica</i> serovar Oranienburg	242
pathology	261	<i>Sauropus androgynus</i>	291
PCR	1	sea environment	138
penicillin resistant <i>Streptococcus pneumoniae</i>	309	seasonal influenza	681
pertussis	155	sepsis	20, 745
phenotype	700	serogroup	669
phospholipase A <sub>2</sub>	695	seroprevalence	155
pneumonia	276, 726	serotype	59
pneumonia bronchiolitis obliterans	586	serovar	394
polymicrobial infection	302	serum antigen	403
poultry	363	shellfish	138
probiotics	387	spa bath	173
protective level	675	standard precaution	39
pulmonary aspergillosis	200	steroid	586
pulmonary infection	12, 736	<i>Streptococcus</i> antigen	441
pulsed-field gel electrophoresis (PFGE)	45, 726	<i>Streptococcus pneumoniae</i>	59, 194, 449
purpura fulminans	194	<i>Streptococcus pyogenes</i>	573
pyometra	302	surveillance	309
<b>Q</b>		syndromic surveillance	162, 235
QuantiFERON	421	<b>T</b>	
questionnaire	379, 408	TDH-related hemolysin (TRH)	138
<b>R</b>		teicoplanin	183
radiographic finding	403	thermostable direct hemolysin (TDH)	138
randomised controlled study	387	toxin A	33
rapid diagnosis	76, 149	toxin B	33
real-time PCR	549	<i>Toxocara canis</i>	305
relapse	597	<b>U</b>	
respiratory tract infection (RTI)	20, 449	urinary tract infection	6
restriction fragment length polymorphism (RFLP)	741	<b>V</b>	
<i>Rickettsia japonica</i>	206	vaccine	59, 379
rifampicin	414	vancomycin	183
risk factor	268	<i>Vibrio parahaemolyticus</i>	138
		<i>Vibrio vulnificus</i>	45, 714
		viral capsid antigen	707
		viral infection	1
		visceral larva migrans	305
		vivax malaria	597
		voriconazole	200

<b>W</b>		<b>Z</b>
window period	562	zoonosis
<b>Y</b>		
young child	284	

---