

## 第 84 卷 索 引

<p><b>2</b></p> <p>2009 influenza A (H1N1) 153, 431, 744</p> <p><b>A</b></p> <p><i>Acinetobacter baumannii</i> 305</p> <p>acute mastoiditis 263</p> <p>acute otitis media 263</p> <p>adenovirus 469</p> <p>ambulance transfer surveillance 708</p> <p>amebiasis 464</p> <p>antibiotics 171, 269</p> <p>antifungal activity 187</p> <p>antimicrobial susceptibility 24</p> <p>arbekacin 727</p> <p>arthralgia 457</p> <p>aspergillosis 176</p> <p>autoantibody 1</p> <p>autoimmune disease 1</p> <p>autoimmune hemolytic anemia 296</p> <p>avian influenza 165</p> <p><b>B</b></p> <p><i>Bacillus cereus</i> 583</p> <p>bacteremia 437, 460, 588</p> <p>bacteria 689</p> <p>bacterial meningitis 33</p> <p><i>Bartonella henselae</i> 292</p> <p>Bayesian analysis 276</p> <p><math>\beta</math>-hemolytic streptococci 285</p> <p><math>\beta</math>-lactamase negative ampicillin resistant strain (BLNAR) 441</p> <p><i>bla<sub>IMP-1</sub></i> 569</p> <p>blood culture 187, 199</p> <p><b>C</b></p> <p><i>Candida spp</i> 187</p> <p>cat scratch disease 292</p> <p>catheter 187</p> <p>cefazolin 269</p> <p>Chikungunya fever 457</p>	<p>child 33, 69, 171, 269, 441, 460</p> <p>chronic kidney disease 28</p> <p>clinical analysis 292</p> <p><i>Clostridium difficile</i> 147</p> <p>community-acquired pneumonia 42</p> <p>compromised host 588</p> <p>conjunctivitis 469</p> <p>control measure 714</p> <p><i>Corynebacterium pseudodiphtheriticum</i> 65</p> <p>cost-effectiveness 159</p> <p>cystatin C 28</p> <p>cytokine storm 689</p> <p><b>D</b></p> <p>diagnostic probability 276</p> <p>disease burden 575</p> <p>domestic infection 59</p> <p>drug resistance 171, 263</p> <p>dust transmission 702</p> <p><b>E</b></p> <p>efficacy 193, 269</p> <p>elderly 14, 285</p> <p>Enterobacteriaceae 569</p> <p><i>Enterobius vermicularis</i> 19</p> <p>eosinophilia 597</p> <p>epidemiology 33</p> <p><b>F</b></p> <p>fatal case 165</p> <p>fluconazole 210</p> <p>fungus 210</p> <p><b>G</b></p> <p><i>Gemella morbillorum</i> 592</p> <p>genotypic assay 315</p> <p>group B streptococcus 460</p> <p><b>H</b></p> <p><i>Haemophilus influenzae</i> 33, 171</p> <p><i>Haemophilus influenzae</i> type b (Hib) 441</p>
--	--

health service burden	52	meningitis	602
<i>Helicobacter pylori</i>	1	metallo-β-lactamase	569, 721
hematuria	28	MRSA	199, 276, 734
HEPA filter	176	multi-drug resistant <i>Pseudomonas aeruginosa</i>	
herpes	694	(MDRP)	721
HIV	28, 740	<i>Mycobacterium nonchromogenicum</i>	300
hospital-acquired pneumonia	305		
human metapneumovirus	42		
		<b>N</b>	
		neonate	727
		nephrotoxicity	182
		<i>Nocardia farcinica</i>	206
		nocardiosis	206
		norovirus	315, 702, 746
		nosocomial infection	14, 583
		<b>O</b>	
		oseltamivir	153
		outbreak	14, 702, 714, 721, 734
		outpatient	52, 575
		<b>P</b>	
		pandemic	165
		PCR	746
		<i>Penicillium marneffei</i>	740
		pinworm	19
		pneumonia	588
		post-exposure prophylaxis	474
		pre-exposure immunization	474
		pregnancy	449
		prescription surveillance	708
		prevalence	19
		prevention	694
		procalcitonin	437
		prognostic factor	425
		proteinuria	28
		<i>Pseudomonas aeruginosa</i>	588
		pulmonary cryptococcosis	597
		pulmonary hemorrhage	59
		<b>R</b>	
		rabies	9, 313
		rabies vaccine	474
		rapid diagnosis	309
		rapid toxin test	147
		real time surveillance	734
		<b>M</b>	
malignant lymphoma	602		
maoto	153		
measles	714		

real-time PCR	42, 199	subcutaneous abscess	206
recognition	48	surveillance	176, 575
respiratory tract infection	65	suspected case surveillance	708
reverse transcription-loop-mediated isothermal amplification (RT-LAMP)	431	syndromic surveillance	708
ribotyping	147	systemic inflammatory response syndrome	437
RS virus	42, 309		
		<b>T</b>	
		therapeutic drug monitoring	727
		thrombocytopenic purpura	1
		toxin gene	147
		tsutsugamushi disease	48, 454
		<b>U</b>	
		upper urinary tract infection	269
		urine	187
		<b>V</b>	
		vaccine	9, 14, 159, 313, 449, 694, 714, 744
		varicella	159, 694
		VIM-1	721
		<b>Z</b>	
		zanamivir	153