

## 第 88 卷 索 引

<p style="text-align: center;"><b>7</b></p> <p>7-valent pneumococcal conjugate vaccine      478</p> <p><b>A</b></p> <p><i>Acinetobacter</i>      871</p> <p>acute respiratory infection (ARI)      708</p> <p><i>Aggregatibacter aphrophilus</i>      297</p> <p>antimicrobial agent      417</p> <p>aplastic anemia      855</p> <p><i>Arcanobacterium haemolyticum</i>      131</p> <p>artemether/lumefantrine      833</p> <p>artemisinin-based combination therapy      833</p> <p>aspergillosis      469</p> <p><i>Aspergillus viridinutans</i>      855</p> <p>Australia      155</p> <p>autoimmune hepatitis      459</p> <p><b>B</b></p> <p>bacteremia      463, 871</p> <p>bacterial meningitis      438</p> <p>bed days saved      269</p> <p><math>\beta</math>-lactamase-negative ampicillin-resistant (BLNAR)      291</p> <p>blood concentration      469</p> <p>blood culture      417</p> <p>booster effect      110</p> <p><i>Borrelia</i>      713</p> <p>brain abscess      282</p> <p>bronchopneumonia      160</p> <p><b>C</b></p> <p>case-control study      871</p> <p>chemotherapy      417</p> <p>child      291, 423, 438, 708</p> <p>child-bearing age      452</p> <p>Christie, Atkins &amp; Munch-Petersen (CAMP) test      131</p> <p>clone      840</p> <p>colon cancer      474</p> <p>colon polype      474</p>	<p>colonization      669</p> <p>community-acquired MRSA      840</p> <p>condyloma acuminatum      288</p> <p>continuous infusion      269</p> <p><b>D</b></p> <p>dementia      141</p> <p>dexamethasone      438</p> <p>disseminated intravascular coagulation      700</p> <p>drug resistance      160, 430, 715</p> <p><b>E</b></p> <p>elderly      704</p> <p>emphysematous cystitis      861</p> <p>emphysematous pyelonephritis      861</p> <p>enterohemorrhagic <i>Escherichia coli</i> (EHEC)      430, 685</p> <p>epidemiology      875</p> <p><b>F</b></p> <p>feces      685</p> <p><i>Fusobacterium necrophorum</i>      695</p> <p><b>G</b></p> <p>granulocyte      117</p> <p><b>H</b></p> <p><i>Haemophilus influenzae</i>      291</p> <p><i>Helicobacter cinaedi</i>      417</p> <p>hemagglutination-inhibition (HI) test      452</p> <p>HIV      141</p> <p>HIV-associated neurocognitive disorder      141</p> <p>Human coronavirus      708</p> <p>hypospadias      288</p> <p><b>I</b></p> <p>immunization      711</p> <p>imported infectious disease      155, 166</p> <p>Indonesia      166</p> <p>infective endocarditis      304, 474</p> <p>influenza (H1N1) 2009      117</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

influenzae	669	<b>P</b>
intestinal tuberculosis	171	
invasive pneumococcal disease (IPD)	478, 849	
itraconazole	469	
<b>J</b>		
Japanese spotted fever	700	<b>Q</b>
Japanese	833	
<b>K</b>		
kyphosis	126	
<b>L</b>		
Lemierre's syndrome	695, 704	<b>R</b>
Loop-mediated isothermal amplification	160	
lower respiratory disease	423	
lung abscess	463, 855	
lymphocyte	117	
<b>M</b>		
macrolide	715	<b>S</b>
macrophage	669	
malaria	833	
measles rubella vaccine	711	
meningitis	291	
miliary tuberculosis	459	
multidrug-resistant <i>Streptococcus pneumoniae</i> (MDRSP)	444	
multilocus sequence typing (MLST)	444	
multiplex PCR	685	
<i>Mycoplasma pneumoniae</i>	160, 715	
<b>N</b>		
<i>Nocardia</i>	282	<b>T</b>
norovirus	875	
nursing home	444	
<b>O</b>		
O-sero group	827	
OPAT (outpatient parenteral antimicrobial therapy)	269	
osteomyelitis	297	
Ouchterlony method	866	
outbreak	149, 430, 827	
outer membrane protein	291	
paragonimiasis	866	
<i>Paragonimus westermani</i>	866	
pathogenicity island	840	
PCR-based DNA sequencing	304	
perforation	171	
Phage open reading frame typing (POT)	840	
phospholipase D	131	
phylogenetic analysis	875	
pneumonia	282	
post-exposure prophylaxis	301	
pregnancy	452	
pulsed-field gel electrophoresis (PFGE)	430	
quarantine station	301	
rabies	301	
rapid diagnosis	160	
rapid plasma reagin (RPR)	275	
recurrent fever	438	
relapsing	417	
relapsing fever	713	
<i>Rickettsia japonica</i>	700	
<i>Rickettsia typhi</i>	166	
risk factor	871	
Ross River virus	155	
rubella	110, 452	
<i>Salmonella</i>	685	
seasonal influenza A	117	
septic pulmonary embolism (SPE)	695	
serotype 19F	444	
serotype 6C	849	
<i>Shigella</i>	685	
skin and soft tissue infection (SSTI)	849	
spinal tuberculosis	126	
Staphylococcal cassette chromosome <i>mec</i> (SCC <i>mec</i> )	840	
<i>Staphylococcus aureus</i>	297	
<i>Streptococcus gallolyticus</i> subsp. <i>gallolyticus</i>	474	
<i>Streptococcus pneumoniae</i>	149, 669, 849	

<i>Streptococcus tigurinus</i>	304	<b>V</b>	
syphilis	275		
systemic lumps erythematosus (SLE)	459	vaccine	110
<b>T</b>			
travel	155	<b>W</b>	
treatment	275		
<b>U</b>			
urethroplasty	288	<b>Y</b>	
urinary tract infection	678		827
urosepsis	678	<i>Yersinia enterocolitica</i>	463
		<i>Yersinia pseudotuberculosis</i>	